

How to write a shell script

Introduction

A shell is a command line interpreter. It takes commands and executes them. As such, it implements a programming language. The Bourne shell is used to create shell scripts -- ie. programs that are interpreted/executed by the shell. You can write shell scripts with the C-shell; however, this is not covered here.

Creating a Script

Suppose you often type the command

```
find . -name file -print
```

and you'd rather type a simple command, say

```
sfind file
```

Create a shell script

```
% cd ~/bin  
% emacs sfind  
% page sfind  
find . -name $1 -print  
% chmod a+x sfind  
% rehash  
% cd /usr/local/bin  
% sfind tcsh  
./shells/tcsh
```

Observations

This quick example is far from adequate but some observations:

1. Shell scripts are simple text files created with an editor.
2. Shell scripts are marked as executeable
3. **%chmod a+x sfind**
4. Should be located in your search path and ~/bin should be in your search path.
5. You likely need to rehash if you're a Csh (tcsh) user (but not again when you login).
6. Arguments are passed from the command line and referenced. For example, as \$1.

#!/bin/sh

All Bourne Shell scripts should begin with the sequence

```
#!/bin/sh
```

From the man page for `exec(2)`:

"On the first line of an interpreter script, following the "#!", is the name of a program which should be used to interpret the contents of the file. For instance, if the first line contains "#! /bin/sh", then the contents of the file are executed as a shell script."

You can get away without this, but you shouldn't. All good scripts state the interpreter explicitly. Long ago there was just one (the Bourne Shell) but these days there are many interpreters -- Csh, Ksh, Bash, and others.

Comments

Comments are any text beginning with the pound (#) sign. A comment can start anywhere on a line and continue until the end of the line.

Search Path

All shell scripts should include a search path specification:

```
PATH=/usr/ucb:/usr/bin:/bin; export PATH
```

A PATH specification is recommended -- often times a script will fail for some people because they have a different or incomplete search path.

The Bourne Shell does not export environment variables to children unless explicitly instructed to do so by using the `export` command.

Argument Checking

A good shell script should verify that the arguments supplied (if any) are correct.

```
if [ $# -ne 3 ]; then
    echo 1>&2 Usage: $0 19 Oct 91
    exit 127
fi
```

This script requires three arguments and gripes accordingly.

Exit status

All Unix utilities should return an exit status.

```
# is the year out of range for me?
```

```
if [ $year -lt 1901 -o $year -gt 2099 ]; then
```

```
    echo 1>&2 Year \"${year}\" out of range
    exit 127
fi
```

etc...

```
# All done, exit ok
```

```
exit 0
```

A non-zero exit status indicates an error condition of some sort while a zero exit status indicates things worked as expected.

On BSD systems there's been an attempt to categorize some of the more common exit status codes. See `/usr/include/sysexits.h`.

Using exit status

Exit codes are important for those who use your code. Many constructs test on the exit status of a command.

The conditional construct is:

```
if command; then
    command
fi
```

For example,

```
if tty -s; then
    echo Enter text end with ^D
fi
```

Your code should be written with the expectation that others will use it. Making sure you return a meaningful exit status will help.

Stdin, Stdout, Stderr

Standard input, output, and error are file descriptors 0, 1, and 2. Each has a particular role and should be used accordingly:

```
# is the year out of range for me?

if [ $year -lt 1901 -o $year -gt 2099 ]; then
    echo 1>&2 Year \"${year}\" out of my range
    exit 127
fi
```

etc...

```
# ok, you have the number of days since Jan 1, ...
```

```
case `expr $days % 7` in
```

```
0)
```

```
    echo Mon;;
```

```
1)
```

```
    echo Tue;;
```

etc...

Error messages should appear on stderr not on stdout! Output should appear on stdout. As for input/output dialogue:

```
# give the fellow a chance to quit
```

```
if tty -s ; then
```

```
    echo This will remove all files in $* since ...
```

```
    echo $n Ok to procede? $c;    read ans
```

```
    case "$ans" in
```

```
        n*|N*)
```

```
echo File purge abandoned;
```

```
exit 0 ;;
```

```
    esac
```

```
    RM="rm -rf"
```

```
else
```

```
    RM="rm -rf"
```

```
fi
```

Note: this code behaves differently if there's a user to communicate with (ie. if the standard input is a tty rather than a pipe, or file, or etc. See tty(1)).

Language Constructs

For loop iteration

Substitute values for variable and perform task:

```
for variable in word ...
```

```
do
```

```
    command
```

```
done
```

For example:

```
for i in `cat $LOGS`
```

```
do
    mv $i $i.$TODAY
    cp /dev/null $i
    chmod 664 $i
done
```

Alternatively you may see:

```
for variable in word ...; do command; done
```

- **Case**

Switch to statements depending on pattern match

```
case word in
    [ pattern [ | pattern ... ] )
        command ;; ] ...
esac
```

For example:

```
case "$year" in
    [0-9][0-9])
        year=19${year}
        years=`expr $year - 1901`
        ;;
    [0-9][0-9][0-9][0-9])
        years=`expr $year - 1901`
        ;;
    *)
        echo 1>&2 Year \"${year}\" out of range ...
        exit 127
        ;;
esac
```

- **Conditional Execution**

Test exit status of command and branch

```
if command
then
    command
[ else
```

```
    command ]  
fi
```

For example:

```
if [ $# -ne 3 ]; then  
    echo 1>&2 Usage: $0 19 Oct 91  
    exit 127  
fi
```

Alternatively you may see:

```
if command; then command; [ else command; ] fi
```

- **While/Until Iteration**

Repeat task while command returns good exit status.

```
{while | until} command  
do  
    command  
done
```

For example:

```
# for each argument mentioned, purge that directory  
  
while [ $# -ge 1 ]; do  
    _purge $1  
    shift  
done
```

Alternatively you may see:

```
while command; do command; done
```

- **Variables**

Variables are sequences of letters, digits, or underscores beginning with a letter or underscore. To get the contents of a variable you must prepend the name with a **\$**.

Numeric variables (eg. like \$1, etc.) are positional variables for argument communication.

- **Variable Assignment**

Assign a value to a variable by variable=value. For example:

```
PATH=/usr/ucb:/usr/bin:/bin; export PATH
```

or

```
TODAY=$(set `date`; echo $1)
```

- **Exporting Variables**

Variables are not exported to children unless explicitly marked.

```
# We MUST have a DISPLAY environment variable
```

```
if [ "$DISPLAY" = "" ]; then
    if tty -s ; then
        echo "DISPLAY (`hostname`:0.0)? \c";
        read DISPLAY
    fi
    if [ "$DISPLAY" = "" ]; then
        DISPLAY=`hostname`:0.0
    fi
    export DISPLAY
fi
```

Likewise, for variables like the PRINTER which you want honored by lpr(1). From a user's .profile:

```
PRINTER=PostScript; export PRINTER
```

Note: that the Cshell exports all environment variables.

- **Referencing Variables**

Use \$variable (or, if necessary, \${variable}) to reference the value.

```
# Most user's have a /bin of their own
```

```

if [ "$USER" != "root" ]; then
    PATH=$HOME/bin:$PATH
else
    PATH=/etc:/usr/etc:$PATH
fi

```

The braces are required for concatenation constructs.

```
$p_01
```

The value of the variable "p_01".

```
${p}_01
```

The value of the variable "p" with "_01" pasted onto the end.

- o **Conditional Reference**
- o `${variable-word}`

If the variable has been set, use it's value, else use word.

```

POSTSCRIPT=${POSTSCRIPT-PostScript};
export POSTSCRIPT

```

```
${variable:-word}
```

If the variable has been set and is not null, use it's value, else use word.

These are useful constructions for honoring the user environment. I.e. the user of the script can override variable assignments. Cf. programs like `lpr(1)` honor the `PRINTER` environment variable, you can do the same trick with your shell scripts.

```
${variable:?word}
```

If variable is set use it's value, else print out word and exit. Useful for bailing out.

- o **Arguments**

Command line arguments to shell scripts are positional variables:

\$0, \$1, ...

The command and arguments. With \$0 the command and the rest the arguments.

\$#

The number of arguments.

\$*, @\$

All the arguments as a blank separated string. Watch out for "\$*" vs. "\$@".
And, some commands:

shift

Shift the positional variables down one and decrement number of arguments.

set arg arg ...

Set the positional variables to the argument list.

Command line parsing uses shift:

```
# parse argument list
```

```
while [ $# -ge 1 ]; do
    case $1 in
        process arguments...
    esac
    shift
done
```

A use of the set command:

```
# figure out what day it is
```

```
TODAY=`(set `date`; echo $1)`
```

```
cd $SPOOL
```

```
for i in `cat $LOGS`
```

```
do
    mv $i $i.$TODAY
    cp /dev/null $i
    chmod 664 $i
done
```

- **Special Variables**
- \$\$

Current process id. This is very useful for constructing temporary files.

```
tmp=/tmp/cal0$$
trap "rm -f $tmp /tmp/cal1$$ /tmp/cal2$$"
trap exit 1 2 13 15
/usr/lib/calprog >$tmp
```

\$?

The exit status of the last command.

```
$command
# Run target file if no errors and ...

if [ $? -eq 0 ]
then
etc...
fi
```

- **Quotes/Special Characters**

Special characters to terminate words:

; & () | ^ < > new-line space tab

These are for command sequences, background jobs, etc. To quote any of these use a backslash (\) or bracket with quote marks (" or ").

Single Quotes

Within single quotes all characters are quoted -- including the backslash. The result is one word.

```
grep :${gid}: /etc/group | awk -F: '{print $1}'
```

Double Quotes

Within double quotes you have variable substitution (ie. the dollar sign is interpreted) but no file name generation (ie. * and ? are quoted). The result is one word.

```
if [ ! "${parent}" ]; then
    parent=${people}/${group}/${user}
fi
```

Back Quotes

Back quotes mean run the command and substitute the output.

```
if [ "`echo -n`" = "-n" ]; then
n=""
c="\c"
else
n="-n"
c=""
fi
```

and

```
TODAY=`(set `date`; echo $1)`
```

- **Functions**

Functions are a powerful feature that aren't used often enough. Syntax is

```
name ()
{
    commands
}
```

For example:

```

# Purge a directory

_purge()
{
    # there had better be a directory

    if [ ! -d $1 ]; then
        echo $1: No such directory 1>&2
        return
    fi

    etc...
}

```

Within a function the positional parameters \$0, \$1, etc. are the arguments to the function (not the arguments to the script).

Within a function use return instead of exit.

Functions are good for encapsulations. You can pipe, redirect input, etc. to functions. For example:

```

# deal with a file, add people one at a time

do_file()
{
    while parse_one

    etc...
}

etc...

# take standard input (or a specified file) and do it.

if [ "$1" != "" ]; then
    cat $1 | do_file
else
    do_file

```

fi

- **Sourcing commands**

You can execute shell scripts from within shell scripts. A couple of choices:

sh command

This runs the shell script as a separate shell. For example, on Sun machines in `/etc/rc`:

```
sh /etc/rc.local
```

. command

This runs the shell script from within the current shell script. For example:

```
# Read in configuration information
. /etc/hostconfig
```

What are the virtues of each? What's the difference? The second form is useful for configuration files where environment variables are set for the script. For example:

```
for HOST in $HOSTS; do

    # is there a config file for this host?

    if [ -r ${BACKUPHOME}/${HOST} ]; then
. ${BACKUPHOME}/${HOST}
    fi
etc...
```

Using configuration files in this manner makes it possible to write scripts that are automatically tailored for different situations.

Some Tricks

- **Test**

The most powerful command is `test(1)`.

```
if test expression; then
```

```
    etc...
```

and (note the matching bracket argument)

```
if [ expression ]; then
```

```
    etc...
```

On System V machines this is a builtin (check out the command `/bin/test`).

On BSD systems (like the Suns) compare the command `/usr/bin/test` with `/usr/bin/[]`.

Useful expressions are:

```
test { -w, -r, -x, -s, ... } filename
```

is file writeable, readable, executeable, empty, etc?

```
test n1 { -eq, -ne, -gt, ... } n2
```

are numbers equal, not equal, greater than, etc.?

```
test s1 { =, != } s2
```

Are strings the same or different?

```
test cond1 { -o, -a } cond2
```

Binary or; binary and; use ! for unary negation.

For example

```
if [ $year -lt 1901 -o $year -gt 2099 ]; then
    echo 1>&2 Year \"$year\" out of range
    exit 127
fi
```

Learn this command inside out! It does a lot for you.

- **String matching**

The test command provides limited string matching tests. A more powerful trick is to match strings with the case switch.

```
# parse argument list

while [ $# -ge 1 ]; do
    case $1 in
        -c*) rate=`echo $1 | cut -c3-`; ;
        -c)  shift; rate=$1 ;;
        -p*) prefix=`echo $1 | cut -c3-`; ;
        -p)  shift; prefix=$1 ;;
        -*)  echo $Usage; exit 1 ;;
        *)  disks=$*;   break ;;
    esac

    shift

done
```

Of course getopt would work much better.

- **SysV vs BSD echo**

On BSD systems to get a prompt you'd say:

```
echo -n Ok to procede?; read ans
```

On SysV systems you'd say:

```
echo Ok to procede? \c; read ans
```

In an effort to produce portable code we've been using:

```
# figure out what kind of echo to use

if [ "`echo -n`" = "-n" ]; then
    n=""; c="\c"
else
    n="-n"; c=""
fi

etc...
```

```
echo $n Ok to procede? $c; read ans
```

- **Is there a person?**

The Unix tradition is that programs should execute as quietly as possible. Especially for pipelines, cron jobs, etc.

User prompts aren't required if there's no user.

```
# If there's a person out there, prod him a bit.
```

```
if tty -s; then
    echo Enter text end with ^D
fi
```

The tradition also extends to output.

```
# If the output is to a terminal, be verbose
```

```
if tty -s &&1; then
    verbose=true
else
    verbose=false
fi
```

Beware: just because stdin is a tty that doesn't mean that stdout is too. User prompts should be directed to the user terminal.

```
# If there's a person out there, prod him a bit.
```

```
if tty -s; then
    echo Enter text end with ^D >&0
fi
```

Have you ever had a program stop waiting for keyboard input when the output is directed elsewhere?

- **Creating Input**

We're familiar with redirecting input. For example:


```
# take standard input (or a specified file) and do it.
```

```
if [ "$1" != "" ]; then
    cat $1 | do_file
else
    do_file
fi
```

alternatively, redirection from a file:

```
# take standard input (or a specified file) and do it.
```

```
if [ "$1" != "" ]; then
    do_file < $1
else
    do_file
fi
```

You can also construct files on the fly.

```
rmail bsmtp <
rcpt to:
data
from: <$1@newshost.uwo.ca>
to:
Subject: Signon $2
```

```
subscribe $2 Usenet Feeder at UWO
.
quit
EOF
```

Note: that variables are expanded in the input.

- **String Manipulations**

One of the more common things you'll need to do is parse strings. Some tricks

```
TIME=`date | cut -c12-19`
```

```
TIME=`date | sed 's/. * . * \(.*) . * .*\1/'
```

```
TIME=`date | awk '{print $4}'`
```

```
TIME=`set `date`; echo $4`
```

```
TIME=`date | (read u v w x y z; echo $x)`
```

With some care, redefining the input field separators can help.

```
#!/bin/sh
# convert IP number to in-addr.arpa name
```

```
name()
{ set `IFS=".";echo $1`
  echo $4.$3.$2.$1.in-addr.arpa
}
```

```
if [ $# -ne 1 ]; then
  echo 1>&2 Usage: bynum IP-address
  exit 127
fi
```

```
add=`name $1`
```

```
nslookup << EOF | grep "$add" | sed 's/.*= //'
set type=any
$add
EOF
```

- **Debugging**

The shell has a number of flags that make debugging easier:

```
sh -n command
```

Read the shell script but don't execute the commands. IE. check syntax.

```
sh -x command
```

Display commands and arguments as they're executed. In a lot of my shell scripts you'll see

Uncomment the next line for testing

set -x
